




# SVM


Data Science: Jordan Boyd-Graber  
University of Maryland

SLIDES ADAPTED FROM HINRICH SCHÜTZE

## Find the maximum margin hyperplane



## Find the maximum margin hyperplane



Which are the support vectors?

## Walkthrough example: building an SVM over the data shown

Working geometrically:

## Walkthrough example: building an SVM over the data shown

Working geometrically:

- If you got  $0 = .5x + y - 2.75$ , close!

## Walkthrough example: building an SVM over the data shown

Working geometrically:

- If you got  $0 = .5x + y - 2.75$ , close!
- Set up system of equations

$$w_1 + w_2 + b = -1 \quad (1)$$

$$\frac{3}{2}w_1 + 2w_2 + b = 0 \quad (2)$$

$$\frac{11}{4}w_2 + b = 0 \quad (3)$$

$$2w_1 + 3w_2 + b = +1 \quad (4)$$

$$(5)$$

- Hint: don't give colinear points!

## Walkthrough example: building an SVM over the data shown

Working geometrically:

- If you got  $0 = .5x + y - 2.75$ , close!
- Set up system of equations


$$w_1 + w_2 + b = -1 \quad (1)$$

$$\frac{3}{2}w_1 + 2w_2 + b = 0 \quad (2)$$

$$\frac{11}{4}w_2 + b = 0 \quad (3)$$

$$2w_1 + 3w_2 + b = +1 \quad (4)$$


$$(5)$$



- Hint: don't give colinear points! The SVM decision boundary is:

2    4    11


## Canonical Form



$$w_1x_1 + w_2x_2 + b$$




## Cannonical Form



$$.4x_1 + .8x_2 - 2.2$$

## Cannonical Form



$$.4x_1 + .8x_2 - 2.2$$

$$\blacksquare .4 \cdot 1 + .8 \cdot 1 - 2.2 = -1$$

$$\blacksquare .4 \cdot \frac{3}{2} + .8 \cdot 2 = 0$$

$$\blacksquare .4 \cdot 2 + .8 \cdot 3 - 2.2 = +1$$

## What's the margin?

- Distance to closest point  $(1, 1)$  to hyperplane  $(\frac{3}{2}, 2)$

## What's the margin?

- Distance to closest point  $(1, 1)$  to hyperplane  $(\frac{3}{2}, 2)$

$$\sqrt{\left(\frac{3}{2} - 1\right)^2 + (2 - 1)^2} = \sqrt{\frac{1}{4} + 1} = \frac{\sqrt{5}}{2} \quad (6)$$

## What's the margin?

- Distance to closest point  $(1, 1)$  to hyperplane  $(\frac{3}{2}, 2)$

$$\sqrt{\left(\frac{3}{2} - 1\right)^2 + (2 - 1)^2} = \sqrt{\frac{1}{4} + 1} = \frac{\sqrt{5}}{2} \quad (6)$$

- Weight vector

## What's the margin?

- Distance to closest point  $(1, 1)$  to hyperplane  $(\frac{3}{2}, 2)$

$$\sqrt{\left(\frac{3}{2} - 1\right)^2 + (2 - 1)^2} = \sqrt{\frac{1}{4} + 1} = \frac{\sqrt{5}}{2} \quad (6)$$

- Weight vector

$$\frac{1}{\|w\|} = \frac{1}{\sqrt{\left(\frac{2}{5}\right)^2 + \left(\frac{4}{5}\right)^2}} = \frac{1}{\sqrt{\frac{20}{25}}} = \frac{5}{\sqrt{5}\sqrt{4}} = \frac{\sqrt{5}}{2} \quad (7)$$